
Traditional Series

REDSTONE – BUILT–IN Built-in Flush Mount Conventional Electric Fireplace





REDSTONE – BUILT–IN Built-in Flush Mount Conventional Electric Fireplace

Modern Flames has revamped its built-in, flush mount conventional fireplace category with its new Redstone electric fireplace. The Redstone feature our new Hybrid-FX[™] flame technology maximizing the flame height in an enlarged vertical viewing area. Some of the eye-catching features include high intensity RGB independently controlled up lighting, down lighting & flame color. Other standard features include 10 different unique colors to choose from, variable and thermostat-ically controlled heat, variable motor controls, timer, push button and remote controls. This conventional design can slide into an existing Zero Clearance wood burning fireplace or will need 10″ to 12″ of depth in a wall for the built-in/slide-in flush mount look. The Redstone plugs into a standard outlet and includes a 5000 BTU heater. Acrylic crystal media and driftwood logs are both standard media & the Redstone is available in sizes 26″, 30″, 36″, 42″ & 54″.



MODERNFLAMES.COM

Independent Flame & Ember Bed Color Combinations

The **6** button control panel is located at the top right on fireplace and includes a digital readout thermostat. From right to left, button **#1** turns the fireplace on or off. Button **#2** controls ember bed lights. **#3** controls the flame colors. Button **#4** turns the heater on or off. Button **#5** controls timer setting to turn off fireplace at selected time, and button **#6** adjusts the desired heater temperature.

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting



Touch Button Control Panel

Flame & Ember Bed Colors Controlled Independently



Blue Flames - Logs on



Blue Flames - Logs off



Orange Flames - Logs on



Orange Flames - Logs off



Red Flames - Logs on




Red Flames - Logs off

REDSTONE – BUILT–IN Built-In Dimension Specs

RS Model # of Fireplace	Trim Width	Α	В	с	D	E
RS-2621	5/8"	24"	18-7/8"	9-7/8*	15-3/8"	22-3/4"
	(16mm)	(610mm)	(480mm)	(250mm)	(390mm)	(578mm)
RS-3021	5/8**	29-1/4"	18-7/8"	9-7/8**	15-3/8"	28"
	(16mm)	(743mm)	(480mm)	(250mm)	(390mm)	(710mm)
RS-3626	5/8"	33-3/4"	24"	9-7/8**	20-1/2"	32-3/8"
	(16mm)	(857mm)	(610mm)	(250mm)	(521mm)	(824mm)
RS-4229	5/8"	39-3/4"	27"	9-7/8"	23-1/2"	38-1/2"
	(16mm)	(1009mm)	(686mm)	(250mm)	(597mm)	(977mm)
RS-5435	5/8"	52"	33"	12"	29-1/2"	50-3/4 "
	(16mm)	(1322mm)	(838mm)	(305mm)	(749mm)	(1290mm)

RS Model # of Fireplace	F	G	н	Overlap Trim 1-5/8" (41mm)	Finished Opening (W x H x D)
RS-2621	22-3/4"	9-1/4"	18-1/2"	26" (661mm) x	23" (584mm) x 18-3/4" (477mm)
	(578mm)	(234mm)	(470mm)	20-7/8" (530mm)	x 10" (254mm)
RS-3021	28"	9-1/4"	18-1/2"	31-1/4" (794mm) x	28-1/4" (718mm) x 18-3/4" (477mm)
	(710mm)	(234mm)	(470mm)	20-7/8" (530mm)	x 10" (254mm)
RS-3626	32-3/8"	9-1/4"	23-5/8"	35-3/4" (908mm) x	32-5/8" (829mm) x 23-7/8" (607mm)
	(824mm)	(234mm)	(600mm)	26" (661mm)	x 10" (254mm)
RS-4229	38-1/2"	9-1/4"	26-5/8"	41-3/4" (1059mm) x	38-3/4" (985mm) x 26-3/4" (680mm)
	(977mm)	(234mm)	(676mm)	29" (736mm)	x 10" (254mm)
RS-5435	50-11/16"	11-3/8"	32-5/8"	54" (1372mm) x	50-15/16" (1294mm) x 32-3/4" (832mm
	(1288mm)	(289mm)	(829mm)	35" (888mm)	x 12" (305mm)

*5/8" & 1-5/8" trim included in box for built-in installations





MODERNFLAMES.COM

3515 E. Atlanta Ave. Phoenix, AZ 85040 (602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW

Traditional Series

REDSTONE – INSERT Insert Electric Fireplace




Redstone 36" Insert with 6" Surround Kit



REDSTONE – INSERT Insert Electric Fireplace

Update your old fireplace with this premium electric fireplace insert. With efficient heat and beautiful, life-like flames, designed as an alternative to a wood-burning fireplace and provides a beautiful and affordable substitute. The insert can provide supplemental zone heating up to 500 square feet and can be used with or without heat for year-round enjoyment. These inserts don't require building a fire, and are even easier to start and maintain. Insert surround kits are available in 4", 5", 6" & 8" pieces to customize your existing fireplace with a Redstone model with a classic clean-look, Insert surround sets are for 26", 30" & 36" models only. Designed to fit into most existing wood burning fireplaces.



MODERNFLAMES.COM

Independent Flame & Ember Bed Color Combinations

The **6** button control panel is located at the top right on fireplace and includes a digital readout thermostat. From right to left, button **#1** turns the fireplace on or off. Button **#2** controls ember bed lights. **#3** controls the flame colors. Button **#4** turns the heater on or off. Button **#5** controls timer setting to turn off fireplace at selected time, and button **#6** adjusts the desired heater temperature. **REMOTE CONTROL INCLUDED**: Separate controls for on/off variable heat and variable flame with independent flame and ember bed variable colors.

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting







Blue Flames - Logs on



Blue Flames - Logs off



Orange Flames - Logs on



Orange Flames - Logs off



Red Flames - Logs on



Red Flames - Logs off

MODERNFLAMES.COM


Flame & Ember Bed Colors Controlled Independently

REDSTONE – INSERT Dimension Insert Surrounds Spec

RS Model # of Fireplace	Trim Width	А	В	С	D
RS-2621	5/8''	24''	18-7/8''	9-7/8''	15-3/8"
	(16mm)	(610mm)	(480mm)	(250mm)	(390mm)
RS-3021	5/8''	29-1/4''	18-7/8''	9-7/8''	15-3/8"
	(16mm)	(743mm)	(480mm)	(250mm)	(390mm)
RS-3626	5/8''	33-3/4''	24''	9-7/8''	20-1/2"
	(16mm)	(857mm)	(610mm)	(250mm)	(521mm)

RS Model # of Fireplace	E	F	G	н	Existing Fireplace Minimum Opening (W x H x D)
RS-2621	22-3/4" (578mm)	22-3/4" (578mm	9-1/4" (234mm)	18-1/2" (470mm)	23" (584mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3021	28'' (710mm)	28" (710mm)	9-1/4" (234mm)	18-1/2" (470mm)	28-1/4" (718mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3626	32-3/8" (824mm)	32-3/8'' (824mm)	9-1/4" (234mm)	23-5/8'' (600mm)	32-5/8" (829mm) x 23-7/8" (607mm) x 10" (254mm)


*5/8" & 1-5/8" trim included in box for built-in installations




REDSTONE – INSERT Optional Insert Surrounds Specs




	Model	А	В	Width	Part Number
RROUND	RS-2621	32-3/4"	23-1/4″	5″	TK-RS26-3324 - Surround
SMALL SURROUND	RS-2621	32-3/4″	27-5/8"	5″	with Bottom Riser
ARGE SURROUND	RS-2621	36-3/4"	25-1/4"	7″	TK-RS26-3726 - Surround
LARGE SL	RS-2621	36-3/4"	31-5/8"	7″	with Bottom Riser




	Model	А	В	Width	Part Number
RROUND	RS-3021	38"	23-1/4"	5″	TK-RS30-3824 - Surround
SMALL SURROUND	RS-3021	38″	27-5/8"	5″	with Bottom Riser
LARGE SURROUND	RS-3021	44″	26-1/4"	8"	TK-RS30-4427 - Surround
LARGE SU	RS-3021	44″	33-5/8"	8″	with Bottom Riser



	Model	А	В	Width	Part Number
RROUND	RS-3626	40-1/2"	27-3/8"	4″	TK-RS36-4128 - Surround
SMALL SURROUND	RS-3626	40-1/2"	30-3/4"	4″	with Bottom Riser
RROUND	RS-3626	44-1/2"	29-3/8"	6″	TK-RS36-4530 - Surround
LARGE SURROUND	RS-3626	44-1/2"	34-3/4″	6″	with Bottom Riser







MODERNFLAMES.COM 3515 E. Atlanta Ave. Phoenix, AZ 85040 (602) 268-9353 • (877) 246-9353

INNOVATING THE INDUSTRY STANDARDS OF TOMORROW